

Safety data sheet acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 01.03.2021

Version number 6

Revision: 01.03.2021

SECTION 1: Identification undertaking	on of the substance/mixture	e and of the company/
· 1.1 Product identifier		
 Trade name: <u>illbruck FA880</u> 		
 MSDS code: T-I-FA880 1.2 Relevant identified uses of the No further relevant information avain the substance / the Adhesives Spacings sealant 		vised against
 1.3 Details of the supplier of the Manufacturer/Supplier: Tremco CPG Germany GmbH tremco illbruck GmbH Zweigniederlassung Traunreut Traunring 65, D - 83301 Traunreut Tel: +49 (0) 8669 34100, Fax: +49 msds@cpg-europe.com 	t	
• Further information obtainable f Tremco CPG UK Ltd tremco illbruck Ltd Coupland Road, Hindley Green, W T: +44 (0) 1942251400, F: +44 (0) www.cpg-europe.com, info.uk@cp	/igan, WN2 4HT 1942251410	
	er: 1942251400. At all other times it is re ocal GP/pharmacist (NI), 01 809 2166 (
SECTION 2: Hazards identit	fication	
 2.1 Classification of the substant Classification according to Regression The product is not classified, according 	ulation (EC) No 1272/2008 rding to the CLP regulation.	
2.2 Label elements Labelling according to Regulation Hazard pictograms Void Signal word Void Hazard statements Void Supplemental information: EUH208 Contains N-(3-(trimethoxy EUH210 Safety data sheet availab 2.3 Other hazards Results of PBT and vPvB assess PBT: Not applicable.	on (EC) No 1272/2008 Void ysilyl)propyl)ethylenediamine. May produ ole on request.	
		(Contd. on page 2) GB



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 01.03.2021

Version number 6

Revision: 01.03.2021

Trade name: illbruck FA880

(Contd. of page 1)

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

Description: Polydimethylsiloxane with inorganic fillers and oximosilane as curing agent

 Dangerous components: 		
CAS: 1170315-90-8	2-Pentanone, O,O',O''-(phenylsilylidyne)trioxime	1-<5%
EC number: 700-833-6	Acute Tox. 4, H302; Eye Irrit. 2, H319; Aquatic Chronic 3,	
Reg.nr.: 01-2120087364-51-0000	H412	
CAS: 37859-55-5	2-Pentanone, O,O',O''-(methylsilylidyne)trioxime	1-<5%
ELINCS: 484-460-1	Acute Tox. 4, H302; Eye Irrit. 2, H319	
Reg.nr.: 01-2120004323-76-xxxx		

• Additional information:

For the wording of the listed hazard phrases refer to section 16.

While curing the following substances are formed and released by a reaction with atmospheric humidity: 2-Pentanone oxime (CAS 623-40-5)

Methanol (CAS 67-56-1)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

In case of accident or if you feel unwell, seek medical advice (show this safety data sheet if possible).

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact:

Remove from the skin using a cloth or paper. Then clean with water and soap.

If skin irritation continues, consult a doctor.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

Information for doctor: No further relevant information available.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents:

Use fire extinguishing methods suitable to surrounding conditions.

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 01.03.2021

Version number 6

Revision: 01.03.2021

Trade name: illbruck FA880

- (Contd. of page 2) • **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up:
- Ensure adequate ventilation. Pick up mechanically.

Dispose of the material collected according to regulations.

6.4 Reference to other sections

By a reaction with atmospheric humidity by-products are released. See chapter 8.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
 Store in cool, dry conditions in well sealed receptacles.
 Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see item 7.
- Ingredients with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional Occupational Exposure Limit Values for possible hazards during processing: While curing the following substances are formed and released by a reaction with atmospheric humidity: 2-Pentanonoxime (CAS 623-40-5)

CAS: 67-56-1 methanol	
WEL Short-term value: 333 mg/m³, 250 pp Long-term value: 266 mg/m³, 200 ppr Sk	
· · ·	(Contd. on page 4)



Safety data sheet acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 01.03.2021

Version number 6

Revision: 01.03.2021

Trade name: illbruck FA880		
Keep away from foodstuffs, beverages an Wash hands before breaks and at the en Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while wo Respiratory protection: Not necessary if room is well-ventilated. Filter AX Use suitable respiratory protective device For further guidance,	ures: b be adhered to when handling chemicals. nd feed. id of work. prking.	
Protective gloves		
 Material of gloves Butyl rubber, BR Nitrile rubber, NBR Penetration time of glove material The exact break through time has to be f be observed. Eye protection: Safety glasses Body protection: Protective work clothing 	ound out by the manufacturer of the protective gloves and has to	
SECTION 9: Physical and chemical properties		
 9.1 Information on basic physical and General Information Appearance: Form: Colour: Odour: 	chemical properties Pasty According to product specification Characteristic	
 pH-value: Melting point/freezing point: 	Undetermined. (Contd. on page 5)	



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 01.03.2021

Version number 6

Revision: 01.03.2021

Trade name: illbruck FA880

		(Contd. of page 4)
Initial boiling point and boiling range: Not applicable.		
· Flash point:	>151 °C	
· Auto-ignition temperature:	Product is not selfigniting.	
· Explosive properties:	Product does not present an explosion hazard.	
· Density at 20 °C:	1.31 g/cm³	
 Solubility in / Miscibility with water: 	Immiscible / difficult to mix.	
 Solvent content: Organic solvents: VOC (EU) VOC (EC) 	0.0 % 0.4 g/l 0.03 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products:
- None if stored according to specifications.

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 37859-55-5 2-Pentanone, O,O',O"-(methylsilylidyne)trioxime

Oral LD50 1,234 mg/kg (rat)

· Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.

(Contd. on page 6)



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 01.03.2021

Version number 6

Revision: 01.03.2021

Trade name: illbruck FA880

(Contd. of page 5)

- · Carcinogenicity Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is not biodegradable.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- Recommendation

Uncured product may not be disposed of together with household waste and may not reach sewage system. To dispose of, open product containers and let them stand in open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed of as the cured product. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

· European waste catalogue

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packaging:

· Recommendation:

Empty packages totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred.

SECTION 14: Transport informatio	n	
· 14.1 UN-Number		
· ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
		(Contd. on page 7)
		GB



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 01.03.2021 Version number 6 Revision: 01.03.2021 Trade name: illbruck FA880 (Contd. of page 6) · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: • Marine pollutant: No 14.6 Special precautions for user Not applicable. 14.7 Transport in bulk according to Annex II of Not applicable.

Marpol and the IBC Code N · UN "Model Regulation": V

Void

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture "CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).
 "REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.
 HSE EH40/2005 Workplace Exposure Limits (as amended) Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)
 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

[·] Department issuing SDS:

Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.

• Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 8)



acc. to (EC) No 1907/2006, as amended by UK SI 2019/758

Printing date 01.03.2021

Version number 6

Revision: 01.03.2021

Trade name: illbruck FA880

(Contd. of page 7)

GB

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • * Data compared to the previous version altered.