

Printing date 04.02.2020

Version number 8

Revision: 04.02.2020

Printing date 04.02.2020	version number o	Revision. 04.02.2020
SECTION 1: Identian undertaking	ication of the substance/mixtu	re and of the company/
· 1.1 Product identifier		
· Trade name: <u>illbruck PUC</u>	<u>10</u>	
<ul> <li>MSDS code: A-I-PU010</li> <li>1.2 Relevant identified us No further relevant informa</li> <li>Application of the substa</li> </ul>		advised against
<ul> <li>1.3 Details of the supplie</li> <li>Manufacturer/Supplier: tremco illbruck Productie B</li> <li>Vlietskade 1032, 4241 WC</li> <li>T: +31 (0) 183568000, F: + msds@tremco-illbruck.com</li> </ul>	.V. Arkel 31 (0) 183568100	
• <b>Further information obtai</b> tremco illbruck Ltd Coupland Road, Hindley G T: +44 (0) 1942251400, F: www.tremco-illbruck.co.uk,	reen, Wigan, WN2 4HT	
	<b>number:</b> 44 (0) 1942251400. At all other times it is 01 809 2166 (ROI), or otherwise to contact a	
SECTION 2: Hazards	identification	
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.</li> <li>Acute Tox. 4 H332 Harmful if inhaled.</li> <li>Skin Irrit. 2 H315 Causes skin irritation.</li> <li>Eye Irrit. 2 H319 Causes serious eye irritation.</li> <li>Eye Irrit. 2 H314 May cause allergy or asthma symptoms or breathing difficulties if inhaled.</li> <li>Skin Sens. 1 H334 May cause allergic skin reaction.</li> <li>Carc. 2 H351 Suspected of causing cancer.</li> <li>STOT SE 3 H335 May cause respiratory irritation.</li> <li>STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The product is classified and labelled according to the CI B regulation.</li> </ul>		
The product is classified ar	nd labelled according to the CLP regulation.	(Contd. on page 2) GB



Revision: 04.02.2020

(Contd. of page 1)

Printing date 04.02.2020

Version number 8

Trade name: illbruck PU010

· Hazard	pictograms		
	$\wedge \wedge$		
<u>(8)</u>			
	GHS07 GHS08		
GH202	GH507 GH508		
· Signal w	<b>vord</b> Danger		
· Contain	s:		
• •	-	isomers and homologues	
	statements		
		ble aerosol. Pressurised container: May burst if heated.	
H332	Harmful if inhaled.		
H315	Causes skin irritati		
H319	Causes serious ey		
H334 H317	May cause allergy	or asthma symptoms or breathing difficulties if inhaled.	
H351	Suspected of cause		
H335	May cause respira		
H373		e to organs through prolonged or repeated exposure.	
	ionary statements	o to organo tribugh protongoù or ropoutoù oxpoouro.	
P210		heat, hot surfaces, sparks, open flames and other ignition sources. No	
	smoking.		
P211	0		
P251 Do not pierce or burn, even after use.			
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.			
P284 In case of inadequate ventilation wear respiratory protection.			
	P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.		
P410+P4	412 Protect from sunlig	ght. Do not expose to temperatures exceeding 50 °C/122 °F.	
	nental information:		
	•	. May produce an allergic reaction.	
	er hazards		
	of PBT and vPvB as	sessment	
· <b>PBT:</b> Not applicable.			
· vPvB: N	lot applicable.		
SECTIO	ON 3 <sup>.</sup> Compositio	n/information on ingredients	
	-		
	<ul> <li>3.2 Mixtures</li> <li>Description: Active substance with propellant</li> </ul>		
-			
-	ous components:		
CAS: 90	16-87-9	diphenylmethanediisocyanate, isomers and homologues 30-<50%	
		Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373;	
		Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319;	
		Skin Sens. 1, H317; STOT SE 3, H335	
		(Contd. on page 3)	
		GB —	



Printing date 04.02.2020

Version number 8

Revision: 04.02.2020

Trade name: illbruck PU010

	(Con	td. of page 2)
EC number: 911-815-4	tris(2-chloro-1-methylethyl)phosphate	10-<20%
Reg.nr.: 01-2119486772-26-xxxx	Acute Tox. 4, H302	
CAS: 115-10-6	dimethyl ether	5-<10%
EINECS: 204-065-8	Flam. Gas 1, H220; Press. Gas (Comp.), H280	
Reg.nr.: 01-2119472128-37-xxxx		
CAS: 75-28-5	isobutane	1-<5%
EINECS: 200-857-2	Flam. Gas 1, H220; Press. Gas (Comp.), H280	
Reg.nr.: 01-2119485395-27-xxxx		
EC number: 926-564-6	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol,	1-<5%
Reg.nr.: 01-2119971810-36-xxxx	propoxylated	
	Acute Tox. 4, H302	
CAS: 74-98-6	propane	1-<5%
EINECS: 200-827-9	Flam. Gas 1, H220; Press. Gas (Comp.), H280	
Reg.nr.: 01-2119486944-21-xxxx		
0)////0	•	

· SVHC -

### · Additional information:

For the wording of the listed hazard phrases refer to section 16. While curing the following substances are formed and released by a reaction with atmospheric humidity: Carbon dioxide (CO2)

# **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information: Take affected persons out of danger area and lay down.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact:

If symptoms persist consult doctor.

Immediately wash with water and soap and rinse thoroughly.

Immediately remove all soiled and contaminated clothing

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

Allergic reactions

Nausea

- · Information for doctor: No further relevant information available.
- · Hazards No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 4)

GB



Revision: 04.02.2020

Printing date 04.02.2020

Version number 8

Trade name: illbruck PU010

(Contd. of page 3)

SECTION 5: Firefighting measures
<ul> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.</li> <li>For safety reasons unsuitable extinguishing agents: Water with full jet</li> <li>5.2 Special hazards arising from the substance or mixture Carbon monoxide (CO)</li> <li>Carbon dioxide (CO2)</li> <li>Nitrogen oxides (NOx)</li> <li>Under certain fire conditions, traces of other toxic gases cannot be excluded, e.g.: Hydrogen cyanide (HCN)</li> <li>5.3 Advice for firefighters</li> <li>Protective equipment: Wear self-contained respiratory protective device.</li> </ul>
SECTION 6: Accidental release measures
<ul> <li>6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.</li> <li>6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.</li> <li>6.3 Methods and material for containment and cleaning up: Dispose of contaminated material as waste according to Section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents</li> <li>6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.</li> </ul>
SECTION 7: Handling and storage
<ul> <li>7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.</li> <li>Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Protect against electrostatic charges.</li> <li>Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use. The usual precautionary measures are to be adhered to when handling chemicals.</li> </ul>
<ul> <li>7.2 Conditions for safe storage, including any incompatibilities</li> <li>Storage:</li> <li>Requirements to be met by storerooms and receptacles:</li> <li>Observe official regulations on storing packagings with pressurised containers.</li> <li>Information about storage in one common storage facility: Store away from water.</li> </ul>



Printing date 04.02.2020

Version number 8

Revision: 04.02.2020

	Trade name:	illbruck PU010	
--	-------------	----------------	--

(Contd. of page 4)

### · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

• 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

### CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

WEL Short-term value: 0.07 mg/m<sup>3</sup> Long-term value: 0.02 mg/m<sup>3</sup> Sen; as -NCO

### CAS: 115-10-6 dimethyl ether

WEL Short-term value: 958 mg/m<sup>3</sup>, 500 ppm Long-term value: 766 mg/m<sup>3</sup>, 400 ppm

· DNELs

### · Long term effects CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues Inhalative industrial 0.05 mg/m3 (workers) (systemic and local effects) consumer 0.025 mg/m3 (general public) (systemic and local effects) tris(2-chloro-1-methylethyl)phosphate consumer 0.52 mg/kg/24h (general public) (systemic effects) Oral Dermal industrial 2.08 mg/kg/24h (workers) (systemic effects) consumer 1.04 mg/kg/24h (general public) (systemic effects) Inhalative industrial 5.82 mg/m3 (workers) (systemic effects) consumer 1.46 mg/m3 (general public) (systemic effects) CAS: 115-10-6 dimethyl ether Inhalative industrial 1,894 mg/m3 (workers) (systemic effects) consumer 471 mg/m3 (general public) (systemic effects) 2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol, propoxylated Oral consumer 0.2 mg/kg/24h (consumers) (systemic effects) Short term effects CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues Oral consumer 20 mg/kg/24h (consumers) (systemic effects) Dermal industrial 50 mg/kg/24h (workers) (systemic and local effects) consumer 25 mg/kg/24h (consumers) (systemic effects) Inhalative industrial 0.1 mg/m3 (workers) (systemic and local effects) (Contd. on page 6) - GB



Printing date 04.02.2020

Version number 8

Revision: 04.02.2020

Trade name: illbruck PU010

			(Contd. of page 5)
	consumer	0.05 mg/m3 (general public) (local effects)	
tris(2-cl	hloro-1-meth	ylethyl)phosphate	
Dermal	industrial	8 mg/kg/24h (workers) (systemic effects)	
	consumer	4 mg/kg/24h (general public) (systemic effects)	
Inhalativ	/e industrial	22.4 mg/m3 (workers) (systemic effects)	
	consumer	11.2 mg/m3 (general public) (systemic effects)	
· PNECs			
CAS: 90	016-87-9 diph	enylmethanediisocyanate, isomers and homologues	
PNEC <sup>2</sup>	1 mg/L (fresh	water)	
	10 mg/L (inter	mittent release)	
	0.1 mg/L (salt	water)	
tris(2-c	hloro-1-meth	ylethyl)phosphate	
PNEC (	0.64 mg/L (fre	sh water)	
	0.064 mg/L (m	narine)	
PNEC <sup>2</sup>	1.7 mg/kg dwt	: (soil)	
	1.34 mg/kg dv	vt (sediment (salt water))	
CAS: 11	15-10-6 dimet	hyl ether	
PNEC (	0.155 mg/L (fr	resh water)	
	160 mg/L (sev	vage treatment plant)	
	1.549 mg/L (ir	ntermittent release)	
	0.016 mg/L (s	alt water)	
PNEC (	0.045 mg/kg (	soil)	
	0.069 mg/kg (	sediment (salt water))	
2,2',6,6'	'-tetrabromo-	4,4'-isopropylidenediphenol, propoxylated	
	• •	age treatment plant)	
		onal Exposure Limit Values for possible hazards during pro	cessing:
	dioxide (CO2)	) <b>on:</b> The lists valid during the making were used as basis.	
	osure contro		
	al protective	equipment: ind hygienic measures:	
	-	ary measures are to be adhered to when handling chemicals.	
Keep av	way from food	stuffs, beverages and feed.	
		all soiled and contaminated clothing	
		reaks and at the end of work. fumes / aerosols.	
		e yes and skin.	
		•	(Contd. on page 7)



Printing date 04.02.2020

Version number 8

Revision: 04.02.2020

(Contd. of page 6)

Trade name: illbruck PU010

### • Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

This product should not be used under conditions of poor ventilation unless a protective mask with an appropriate gas filter (i.e. type A1 according to standard EN 14387) is used.

For further guidance,

please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide". **Protection of hands:** 



Protective gloves

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Nitrile rubber, NBR Recommended thickness of the material:  $\geq 0.4$  mm Butyl rubber, BR

Recommended thickness of the material:  $\geq 0.7 \text{ mm}$ 

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

• Eye protection:



Tightly sealed goggles

### - Body protection:



Protective work clothing

# **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Colour:

· Odour:

Liquid According to product specification Characteristic

(Contd. on page 8)



Revision: 04.02.2020

Printing date 04.02.2020

Version number 8

Trade	name:	illbruck	PU010
-------	-------	----------	-------

	(Contd. of page 7
· Odour threshold:	Not determined.
<ul> <li>pH-value:</li> <li>Melting point/freezing point:</li> <li>Initial boiling point and boiling range</li> </ul>	Not determined. Not applicable, as aerosol. Undetermined.
· Flash point:	-42 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
· Explosion limits: Lower: Upper:	3.0 Vol % 18.6 Vol %
· Vapour pressure at 20 °C:	5200 hPa
<ul> <li>Density at 20 °C:</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	1.03 g/cm <sup>3</sup> Not determined. Not determined. Not applicable.
<ul> <li>Solubility in / Miscibility with water:</li> </ul>	Immiscible / difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.
<ul> <li>Solvent content:</li> <li>VOC (EU)</li> <li>VOC (EC)</li> <li>9.2 Other information</li> </ul>	180.1 g/l 17.50 % No further relevant information available.

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.



Printing date 04.02.2020

Version number 8

Revision: 04.02.2020

Trade name: illbruck PU010

<ul> <li>• 10.5 Incompatible materials: No further relevant information available</li> <li>• 10.6 Hazardous decomposition products: No dangerous decomposition</li> </ul>				
SECTION 11: Toxicological information				
<ul> <li>• 11.1 Information on toxicological effects</li> <li>• Acute toxicity Harmful if inhaled.</li> <li>• LD/LC50 values relevant for classification:</li> </ul>				
CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homol				
Oral LD50 >10,000 mg/kg (rat)				
Dermal LD50 >10,000 mg/kg (rab)				
Inhalative LC50/4 h 1.5 mg/L (rat)				
tris(2-chloro-1-methylethyl)phosphate       Oral     LD50       632 mg/kg (rat)				
CAS: 115-10-6 dimethyl ether				
Inhalative LC50/4 h 308 mg/L (rat)				
2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol, propoxylated				
Oral LD50 732 mg/kg (rat)				
Dermal LD50 >2,000 mg/kg (rat) (OECD 402)				
Primary irritant effect:				
<ul> <li>Skin corrosion/irritation</li> <li>Causes skin irritation.</li> </ul>				
· Serious eye damage/irritation				
Causes serious eye irritation.				
Respiratory or skin sensitisation				
May cause allergy or asthma symptoms or breathing difficulties if inhale	əd.			
May cause an allergic skin reaction.				
CMR effects (carcinogenity, mutagenicity and toxicity for reproduce Corm coll mutagenicity Based on available data, the classification critication criticati critication critication critication critication critication critic	• Germ cell mutagenicity Based on available data, the classification criteria are not met.			
· Carcinogenicity	iena are not met.			
Suspected of causing cancer.				
Reproductive toxicity Based on available data, the classification criteria are not met.				
STOT-single exposure				
May cause respiratory irritation.				
<ul> <li>STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.</li> </ul>				
• Aspiration hazard Based on available data, the classification criteria are not met.				
<b>Aspiration nazaru</b> daseu on avaliable uata, the GassinGation Gittena are not met.				

(Contd. on page 10)

GB



Revision: 04.02.2020

Printing date 04.02.2020

Version number 8

Trade name: illbruck PU010

(Contd. of page 9)

# SECTION 12: Ecological information

# · 12.1 Toxicity

# Aquatic toxicity:

### CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

LC0/96 h >1,000 mg/L (brachydanio rerio)

EC50/24 h >1,000 mg/L (daphnia magna)

## tris(2-chloro-1-methylethyl)phosphate

LC50/96 h 51 mg/L (pimephales promelas)

· 12.2 Persistence and degradability No further relevant information available.

• Other information: The product is not easily biodegradable.

12.3 Bioaccumulative potential No further relevant information available.

• **12.4 Mobility in soil** No further relevant information available.

### · Ecotoxical effects:

### CAS: 9016-87-9 diphenylmethanediisocyanate, isomers and homologues

NOEC/21 d >10 mg/L (daphnia magna)

### · Other information:

This product contains no substances in Annex I to Directive EC 1005/2009 concerning ozone depleting substances

### · 12.5 Results of PBT and vPvB assessment

- · **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

### Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

Disposal must be made according to official regulations.

· European	waste catalogue
16 05 04*	gases in pressure containers (including halons) containing hazardous substances
08 05 01*	waste isocyanates
HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP7	Carcinogenic
HP13	Sensitising
L	(Contd. on page 11)



Revision: 04.02.2020

Printing date 04.02.2020

Version number 8

Trade name: illbruck PU010

(Contd. of page 10)

# · Uncleaned packaging:

## Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Disposal must be made according to official regulations.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1950
<ul> <li>14.2 UN proper shipping name</li> <li>ADR</li> </ul>	1950 AEROSOLS 1950 AEROSOLS
· IMDG · IATA	AEROSOLS AEROSOLS, flammable
· 14.3 Transport hazard class(es) · ADR	
· Class · Label	2 5F Gases. 2.1
· IMDG, IATA	
· Class · Label	2.1 2.1
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void
<ul> <li>14.5 Environmental hazards:</li> <li>Marine pollutant:</li> </ul>	No
<ul> <li>14.6 Special precautions for user</li> <li>Hazard identification number (Kemler code):</li> </ul>	Warning: Gases.
• EMS Number:	F-D,S-U (Contd. on page

Printing date 04.02.2020

Safety data sheet according to 1907/2006/EC, Article 31

Version number 8



Revision: 04.02.2020

#### Trade name: illbruck PU010 (Contd. of page 11) Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. · Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. • Transport/Additional information: · ADR · Limited quantities (LQ) 1L · Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity Transport category 2 Tunnel restriction code D ·IMDG · Limited quantities (LQ) 1L • Excepted quantities (EQ) Code: E0 Not permitted as Excepted Quantity • UN "Model Regulation": **UN 1950 AEROSOLS, 2.1**

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture "CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).
"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments). COMMISSION REGULATION (EU) 2015/830 of 28 May 2015. HSE EH40/2005 Workplace Exposure Limits (as amended) Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015) 2001/118/EC as regards the list of wastes 2008/98/EC on waste
Directive 2012/18/EU

· Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t

(Contd. on page 13)

GB



Printing date 04.02.2020	Version number 8	Revision: 04.02.2020
Trade name: illbruck PU010		
	or the application of upper-tier require 006 ANNEX XVII Conditions of restriction	
• National regulations:		
	o <b>f use:</b> ning juveniles must be observed. ning pregnant and lactating women must	be observed.
	and prohibitive regulations cern (SVHC) according to REACH, Artic nent: A Chemical Safety Assessment has	
	<b>mation</b> ur present knowledge. However, this sha nd shall not establish a legally valid contra	
H335 May cause respiratory irri H351 Suspected of causing car	sure; may explode if heated. n reaction. ion. ima symptoms or breathing difficulties if ir tation.	
0.2.3. <b>Abbreviations and acronyms:</b> ADR: Accord européen sur le transport International Carriage of Dangerous G IMDG: International Maritime Code for IATA: International Air Transport Asso GHS: Globally Harmonised System of EINECS: European Inventory of Existing ELINCS: European List of Notified Cher	bort des marchandises dangereuses par Route oods by Road) Dangerous Goods ciation Classification and Labelling of Chemicals ng Commercial Chemical Substances emical Substances sion of the American Chemical Society) SA, EU) tion (REACH) t Toxic ern umulative egory 1	



Printing date 04.02.2020

Version number 8

Revision: 04.02.2020

Trade name: illbruck PU010

(Contd. of page 13)

GB

Acute Tox. 4: Acute toxicity - inhalation – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 • \* **Data compared to the previous version altered.**